


3rd Questionnaire 3D-Cadastral: status January 2019



Australia Queensland

This questionnaire is an activity of the FIG working group 3D-Cadastral 2018-2022. The purpose of the survey is to make a world-wide inventory of the status of 3D-Cadastral at this moment and the plans/expectations for the near future (2022). By sharing this information, it should be possible to improve cooperation, learn from each other and support future developments. This is the third time that the questionnaire on 3D-Cadastral is conducted by the FIG working group on 3D-Cadastral. The first time was in 2010 in order to document the status in 2010 and expectations back then for 2014. This was followed by second questionnaire in 2014 (with status 2014 and expectations 2018). The earlier responses have been analysed and reported on (van Oosterom et al. 2011, Karki 2013, van Oosterom et al. 2014). For more information on the FIG working group on 3D-Cadastral see the website www.gdmc.nl/3DCadastral. Now a few notes and suggestions, which should be helpful when completing the questionnaire:

- The conceptual model used as background for the 3D Cadastral questionnaire is the ISO 19152 standard (ISO, 2012): the Land Administration Domain Model (LADM).
- In this questionnaire the concept of 3D-Cadastral with 3D parcels (or 3D spatial units in LADM terminology) is intended in the broadest possible sense. However, what exactly is (or could be) a 3D parcel is dependent on the legal and organizational context in the specific country (state, province). 3D parcels include land and water spaces, both above and below surface.
- A more formal definition: A 3D parcel is defined as the spatial unit against which (one or more) unique and homogeneous¹ rights (e.g. ownership right, lease or other land use right), responsibilities or restrictions are associated to the whole entity, as included in a Land Administration system.
- As the definition above is quite abstract, it is tried in the questions to be more specific and real world situations are used. Many examples with partial/preliminary answers from 2010 and 2014 are available on-line at <http://www.gdmc.nl/3DCadastral/participants/>. Inspecting some of the completed 2010 and 2014 questionnaires from different other countries might help when formulation the answers for your jurisdiction.
- A 3D parcel is a 'legal object' describing a part of the space. Often there is a relationship with a real world/physical object, which can also be described in 3D. Please be aware of the difference between these two types of objects and that the focus in the context of 3D-Cadastral is on spaces of the legal objects and not the registration of the physical objects as such.
- If a certain question is not relevant or if you have no clue what to respond, do not spend any time on this (and leave the field blank).
- The questionnaire has been prepared by Rod Thompson, Sudarshan Karki, Alias Abdul Rahman, Hendrik Ploeger, Christiaan Lemmen, Anna Shnaidman, Peter van Oosterom. The questionnaire is grouped in the number of blocks. This has no meaning in the sense of priority and it is often the case that a question could belong to multiple blocks. Please do not feel disturbed by this.
- Similar to the earlier Questionnaires on 3D-Cadastral, the completed forms will be made available on website of FIG working group on 3D Cadastral.
- Please complete this questionnaire before *15 December 2018* and send it to A.Sznaidman@tudelft.nl (or Anna Shnaidman, TU Delft, OTB, P.O. Box 5043, 2600 GA Delft, The Netherlands).

¹ Homogenous means that the same combination of rights equally apply within the whole 3D spatial unit. Unique means that this is the largest spatial unit for which this is true. Making the unit any larger would result in the combination of rights not being homogenous. Making the unit smaller would result in at least 2 neighbour 3D parcels with the same combinations of rights.

1. General/applicable 3D real-world situations

This part of the questionnaire refers to the applicable 3D real-world situations to be registered by 3D parcels. It also addressed the types of 3D geometries, which are considered to be valid 3D representations for these parcels.

	Status 2018	Expectations 2022
1.1. Are all 3D parcels (3D spatial units in LADM terminology) constrained to be within one surface 2D parcel?	All 3D parcels are within the base (2D) parcels at the time of their creation (adjoining 3D parcels that were created from separate 2D parcels can be amalgamated subsequently). Volumetric parcels are subdivided to reflect the base parcel geometry	Still the same
1.2. Are 2D and/or 3D ambulatory ² boundaries permitted?	Both	Same
1.3.a. Is it allowed to have 3D parcels (spatial units) not related to physical constructs or objects? (e.g. airspace, subsurface volumes)	Yes	Same
1.3.b. If 1.3.a positive: approximately what proportion of new 3D parcels (spatial units) would involve such cases (not related to physical object)?	More than 60%	Same
1.4. Are disconnected parts of a single 3D parcel allowed?	Yes	Yes
1.5. Spatial limitation – e.g. must the 3D parcel be related to a closed volume or is it allowed to have ‘open’ or unbounded 3D parcels (e.g. towards the sky).?	3D Lots must have closed volumes. We also have lots restricted by horizontal planes, or in some instances with a single horizontal plane.	Yes
1.6. Are curved surfaces to bound the 3D parcels allowed?	Y	Y
1.7. Must the curved surfaces (if allowed) be cylindrical sections, or any other constraint?	No constraints as long as they can be mathematically defined	Same
1.8. Any other constraints – e.g. all surfaces must be horizontal or vertical?	If not vertical, boundary surfaces must be defined	Same
1.9. Is there legislation (law and/or regulations) for 3D descriptions of parcels? If so please, mention law and article(s).	Body Corporate and Community Management Act, Land Title Act s48C,D and s49C,D	Same
1.10. Is the legal text available in	English	Same

² An ambulatory boundary is a boundary of a land parcel which follows the movements of a natural feature such as a river. Its position determined at points of time (when a survey is carried out), but between such “fixes”, the definition of the property is the position of the real world natural feature.

original language?		
1.11. Is the legal text (relevant part) available in English translation?	Yes	Yes
1.12. Do you have example descriptions of typical 3D parcels; either 'prototype' or 'operational'?	Yes (Operational); Lot on Plan. Plan format identifies volumetric.	Same
1.13. Is there a formal model for the 3D parcels (UML style); e.g. based on ISO TC211 series (especially LADM, ISO 19152)?	No	Yes
1.14. Are natural resources (groundwater, mining rights, geo-thermal extraction and storage) shown in your land administration? If yes, are they considered as 3D parcels (spatial units) with RRRs attached? What about mining concessions (could be limited in time)?	Yes. No.	Yes. Yes (not exhaustive)
1.15. Are legally restricted spaces, above or below, such as polluted areas considered as 3D parcels?	No. They are part of a 2D parcel	Same
1.16. Are spatial plans considered as 3D parcels (as rights or restrictions are related to them)? Sometimes also called spatial development plans, zoning plans or physical plans (land use, urban, regional, environmental,...)	No	No
1.17. Is there a Marine Cadastre? And if so, are 3D parcels included in this registration. Is the IHO Maritime Limits and Boundaries standard (S121) in use or under implementation?	Marine parcels can be created as part of both 2D and 3D	No Change
1.18. Is there any organised legal instrument for the management of common property?	Yes. Body Corporate	No Change
1.19. Which agency is responsible for the recording of titles information?	Titles Registry Office (TRO) which is different to the agency maintaining the parcel geometry	No change
1.20. Which agency is responsible for recording cadastral transactions?	TRO registers changes in titles, Land and Spatial records geometry and database	No Change
1.21. Are transactions for standard 2D lots and 3D lots done by the same agency or titles office?	Yes	Yes
1.22. Are there any 3D storage permissions recorded (e.g. underground storage of CO2)?	Not specifically, however space can be reserved for any purposes	No change
1.23. Any other geometric issues related to 3D parcels?		

2. Infrastructure/utility networks

This refers to the situation where an infrastructure network is considered to be defined within the land administration. For example in some jurisdictions, an underground network might be privately constructed for the purpose of leasing space in it for other organisations to run cabling. In this case, a network, or part of that network may be considered to be a real estate object.

	Status 2018	Expectations 2022
2.1. Do you register networks as an entity in the land administration? (e.g. subterranean conduit networks)	Not as an entity, but as individual spatial units	No Change
2.2. If so, then (a) can the network structure be viewed graphically in the land administration? (b) can the network structure be traced in the database(s)? (c) are networks registered by means of a cadastral identifier (such as a 'parcel number')? (d) are RRRs and parties attached to these network objects?	(a) Only in 2D, (b, c, d) Yes	
2.3. Does the jurisdiction have private networks? If so please, mention law and article(s).	Yes. No specific law or articles required, all done under "normal" regulations	Same
2.4. If so, are they registered as 3D property parcels (spatial units)?	Yes	Yes
2.5. Is the text of relevant laws or regulations (question 2.3) available in original language? If so, give references to relevant document(s).	English	Same
2.6. Is the text of laws and regulations (relevant part) available in English translation?	Yes	Yes
2.7. Do you have example descriptions of typical 3D parcels (spatial units) for networks; either 'prototype' or 'operational'?	Yes (operational); Lot on Plan	Same
2.8. If the network (legal) objects break at the surface parcel, how do you deal with intersecting networks or vertically parallel networks?	Stored as 2D footprint in DCDB. Manual Check	Stored in DCDB as 3D. Automated checks.
2.9. Any other geometric issues related to the registration of networks?		

3. Construction/building units

This refers to 3D properties that are related to constructions and apartment (condominium) buildings. The individual units are often defined by the actual walls and structure of a building, rather than by metes and bounds. E.g. “unit 5 on level 6 of ... building”.

	Status 2018	Expectations 2022
3.1. Do you register legal spaces for 3D construction/building units (separate from the land)?	Yes	Same
3.2. If so, what are the conditions for doing so, and what are the most important types? E.g. apartment units (at least 2 or more in building), or also other buildings or even more general constructions (infra related; such as bridge, tunnel or even other, such as windmills,..)	Commercial or Residential	Same
3.3. Does the jurisdiction have construction/building units? If so please, mention law and article(s).	Yes. Land Title Act, Body Corporate and Community Management Act	Same
3.4. Is the legal text available in original language?	Yes	Yes
3.5. Is the legal text (relevant part) available in English translation?	Yes	Yes
3.6. Do you have example descriptions of typical 3D parcels; either ‘prototype’ or ‘operational’?	Yes (Operational); Lot on Plan description	Same
3.7. What would be typical 3D boundaries in an apartment complex: middle of the wall and floor/ceiling, or walls, floors/ceiling as neutral/shared 3D space? Is it mentioned in any legislation or is it the convention?	(Middle of wall and floor/ceiling) Mentioned in legislation	Same
3.8. Is common property inside the building registered? If so, how?	Yes- everything in base (2D) lot less defined private spatial units	Same
3.9. Who owns the common property inside the building?	Body Corporate (Lot Owners)	Same
3.10. Who owns the land on which the apartment is built?	Body Corporate (Lot Owners)	Same
3.11. Do you allow sub-division of apartments or apartment blocks?	Yes	Yes
3.12. Can the land on which the building is built be sub-divided or sold or mortgaged without the consent of majority of the apartment owners?	No	No
3.13. What is the numbering convention for apartments (please specify in terms of cadastral parcel as well as street addressing)	Numerical, Consecutive, starting on lowest living level.	Same

3.14. Any other geometric issues?	The plans often contain sketches of buildings that are not captured in the DCDB	
-----------------------------------	---	--

4. X/Y Coordinates

	Status 2018	Expectations 2022
4.1. Do the plans of survey guarantee X/Y coordinates? (and are they relative or in an absolute spatial reference system?)	No	No
4.2. Are the cadastral database coordinates authoritative?	No	No
4.3. If not, what is the authoritative source of X/Y coordinates?	None	None
4.4. Do you have parcels defined by the walls of a building (with no recorded geometry)?	Yes	Yes
4.5. What is the spatial reference system for X/Y Coordinates?	GDA94	GDA94
4.6. When owners receive or purchase a copy of the plan what can they see on the plan to help them identify their parcel/lot (e.g. bearings and distance, identifying corners or recovery marks, neighbouring lots, coordinates etc.)?	On plan, Lot Number in bold, Lot boundary in thicker lines, Bearings and distances, recovery marks, adjoining lots on plans reference and permanent marks table, occupation at or near corners and on or near boundaries	Same
4.7. Have there been any changes made in the way cadastral information is recorded and represented from a historical point of view?	Yes. Change in units, Legislative references, Plan face etc.	Adapted to current practices
4.8. Any other X/Y coordinate issues?		

5. Representation of 3rd dimension: height (or depth)

	Status 2018	Expectations 2022
5.1. Are the height values of 3D parcels relative to local ground?	No Coordinates; local ground heights sometimes shown on plan	Same
5.2. Are height values reduced to a standard datum (absolute)? If so, what is the spatial reference system for this 3 rd ordinate?	Yes. Levels reduced to Australian Height Datum	Same
5.3. In principle possible to store both relative and absolute height values?	In principle yes in paper plans, but not current practice	Same
5.4. Is the earth surface (elevation) explicitly stored (in the DCDB or other accessible register)?	Not in DCDB. Stored in Topo data, but not accessible by DCDB	Not stored in DCDB. Should be accessible to DCDB
5.5. What is the source of height values for the 2D surface parcel?	None	Yes
5.6. How is elevation information recorded in the cadastral plan or database?	3D plan usually shows relative height difference w.r.t. ground points which is connected at a corner by a height datum	Elevation not
5.7. Do you expect the elevation recorded in cadastral plans to be used for any other purpose (e.g. city models or civil constructions etc.)?	A pilot project currently underway to capture 3D from BIM	More advanced and widespread application
5.8. Any other 3rd dimension ordinate value issues?		

6. Temporal Issues

	Status 2018	Expectations 2022
6.1. Are temporal limits part of the definition of a parcel (2D or 3D)?	Not parcels specifically, but secondary interests such as leases have temporal aspects	Same
6.2. Are moving parcels allowed?	Moving leases for grazing and mining etc. allowed, however new leases registered each time. Ambulatory boundaries also have a moving component.	Same
6.3. Are there any limitations on the range of temporal limits? (e.g. only on 3D apartments).	N	N
6.4. Are there any attempt to integrate 3D space and temporal representations, into a single 4D space/time representation?	N	N
6.5. In the case of tidal boundaries, what happens to the 3D ambulatory parcel if the 2D land parcel changes extent due to the movement of High Water Mark?	If 3D boundary defined in terms of 2D ambulatory boundary, it moves with it as the 2D boundary accretes or erodes	Same
6.6. In case 3D Marine Cadastre is present and moving boundaries are allowed, how is this represented? E.g. using 4D geometry and topology.	Marine parcels are usually created as secondary interests and have the same representation as other parcels	Same
6.7. Can time bound rights be created and extinguished in the title? (e.g. temporary titles created for a period and when the time is up it can be extinguished)?	There are some examples of volumetric parcels created for a specific purpose or period such as during construction	Same
6.8. Is it possible to identify all the changes made by any operator to the cadastral plans or database and to rollback if there is an error made?	Yes. Login determines the user and the changes made are listed textually in another table, which can all/partially be rolled back. Some rollbacks need high level permissions.	Same
6.9. For Cadastral transactions, how far in time do buyers need to make a search to ensure the title or deed is legal?	As the titling system is Torrens, the only searches are about ownership and caveats on the land; once ownership is established, no titles related search is necessary.	Same
6.10. Any other temporal issues?		

7. Rights, Restrictions and Responsibilities

	Status 2018	Expectations 2022
7.1. Range of RRR on 3D parcels.	Identical to 2D	No change
7.2. Are there any limitations on the range of rights related to 3D spatial units? (e.g. subterranean parcels must be owned by Govt).	No	No change
7.3. Are there any limitations on the range of restrictions or responsibilities related to 3D spatial units? (i.e. currently in use and related to 2D spatial units, but that would not be applicable to 3D).	No	No
7.4. Are there RRRs that are only allowed in 3D (and not valid for 2D)	No. Everything allowed in 2D is allowed in 3D and vice versa	No change
7.5. Is there specific legislation (laws, regulations) defining 3D RRR types? If so, provide details, e.g. references to documents/ articles.	Not for 3D RRR types, but there is a separation between building plans and volumetric plans	No change
7.6. Can 3D sub-surface/above-surface parcel be owned by someone other than the person owning the land parcel?	Separate titles issued, so Yes	Same
7.7. What applications do you foresee for 3D land administration?	3D Smart City is the current big thing	Something else
7.8. Are the administrative source documents (source of RRRs) title or deed based?	Title (Torrens titling system)	Same
7.9 Who is responsible for the correctness of the specified 3D boundaries in spatial source documents (which authority)?	Private Registered Surveyors for their own surveys. Government for Titles	Same
7.10. Is registration of 3D parcels done inside the cadastral mapping agency, the land registry or elsewhere?	In Titles Registry Office, the same as 2D	Same
7.11. Are 3D registrations handled by the same organisation that handles traditional (2D) land administration?	Yes	Yes
7.12. Do you supply paper-based titles or deeds or proof of ownership? If yes, does this contain depictions of the 2D or 3D parcel?	Paper based titles not usually supplied, only on special request. It does not contain geometry but just a reference to the plan of survey. Plan of survey is easier to purchase	No change
7.13. Is the 3D registry separate or integrated with the 2D registry?	Integrated	Same
7.14. Any other RRR issues?		

8. DCDB (The Cadastral Database)

	Status 2018	Expectations 2022
8.0. Is database schema LADM based?	No	Yes
8.1. Does the DCDB contain representation of 3D parcels (in any form)?	As footprint of geometry only. Other database linked to the DCDB contain RRR	Yes
8.2. If so, how are they represented (in the DCDB)?	As projections on 2D parcel	As 3D objects
8.3. If so, how are they presented on cadastral “maps” (including screen presentations)?	Colour coded 2D objects	As 3D objects
8.4. Are there possibilities to store geometry of 3D parcels in the DCDB?	No. Only 2D projections but multi-level.	Yes
8.5. Is it possible to manage a 3D topological structure in the DCDB?	No	Yes
8.6. Are constraints/rules defined for valid 3D objects (closed volume, no overlap, no gap in 3D)? What about rules for a mix of 2D and 3D representations?	Manual check only on paper plans	Automated
8.7. How can internal and external user query and visualize the 3D content supporting rotating, slicing, transparency, perspective (3D web/view service, 3D pdf documents,...)?	Not possible	Undecided
8.8. What Spatial DBMS software do you use? Any 3D capabilities included and used?	In house built within INGRES. 3D is currently not implemented	To be determined
8.9. Do you have any validation rules for 3D representation in the database?	No	Yes
8.10. What (GIS/CAD) software is used for updating, editing, analysis, and visualization of the cadastral data? Any 3D capabilities included and used?	Microstation. 3D editing is available but not used.	To be determined
8.11. What web software is used for remote data access/distribution and visualization? Any 3D capabilities included and used?	In house using SVG, (No 3D). In house layer on Globe. Web services. Limited 3D available but not used.	Same
8.12. Is your DCDB organised as Multi-Layers or Object Oriented or some other data model?	Object Oriented	Object Oriented
8.13. How do you query 3D objects in your DCDB?	Only as 2D representation	To be determined
8.14. Is it possible to query neighbourhood parcels to a 3D object, vertically as well as horizontally?	Horizontal only	Yes

8.15. Any other DCDB issues?		
------------------------------	--	--

9. Plans of Survey (including field sketches)

	Status 2018	Expectations 2022
9.1. Do the survey plans carry 3D parcel representations?	Yes	Yes
9.2. If so, how are they represented?	Isometric view, levels, polar	Same, via electronic plan
9.3. Is there specific legislation (regulations) describing the requirements for Plans of Survey in 3D? This could cover: a. accuracy/quality, b. 3D survey method, c. conceptual information model survey plan, d. portrayal rules for graphic representation, e. format or encoding for submission. If so, please give link to the relevant documents.	Registrar of Titles Directions for Preparation of Plans (RTDPP), Body Corporate and Community Management Act and Cadastral Survey Requirements (CSR)	Same
9.4. Is sketch level allowed (low geometric quality, but in principle enough to indicate the 3D object)?	Sketches allowed as additional information in Building Format Plan	No change
9.5. Is it possible to define a 3D parcel by referring to other 3D real world objects/ topography (and not specifying coordinates)?	Yes	Yes
9.6. In what format are the 3D parcels submitted for registration; attached to legal document in a single pdf (which has good 3D capabilities) or in an extension of (city)GML for 3D parcels, or....?	As paper-based Building Format Plans and Volumetric Format Plans	Same, electronic plans
9.7. Are the 3D parcels somehow checked for spatial validity; e.g. volume is closed, does not overlap with neighbour volume (and also no unwanted 3D gaps)?	Yes, manual check	Yes, automated checks
9.8. Do you have examples of (prototype or production) 3D survey plans available?	Yes (Production)	Yes
9.9. Are any reference objects visible on the survey plan (e.g. real buildings, roads, that is 3D topography)?	Yes – in part	Same
9.10. What form of 3D data acquisition is used (CAD, terrestrial surveying, sketches, stereo/oblique images, laser scanning,...)?	Terrestrial Surveying	Same
9.11. What software do you use for creating and processing survey plans? Any 3D capabilities included and used?	SurvaCad - AutoCad, LisCAD, Microstation. No 3D capabilities	Same
9.12. Can 3D parcels be subdivided, consolidated or nullified?	Yes	Yes

9.13. Is there any existing technical circular or directive to assist Surveyors in 3D data collection in the field?	Yes, Registrar of Titles Directions for Preparation of Plans (RTDPP)	Same
9.14. Are the surveyors required to undertake a field survey for 3D cadastral data?	Yes	Same
9.15. Are building construction plans used to compile 3D cadastral information for apartments?	No – Field Survey only	Same
9.16. Is 2D/3D field survey done by private licensed surveyors or by government surveyors?	Usual Practice: Freehold-Private surveyors Stateland-Government Surveyors	Same
9.17. Are plans of survey created for each new 2D/3D parcel or are they updated in an index map or a cadastral database.	Plans of Survey created for each survey	Same
9.18. Do you show dimensions or isometric views of 3D parcels on survey plans (do you also store this in a database)	Yes (Dimensions and Isometric View), (No)	Yes
9.19. Do the cadastral survey plans differentiate between different types (e.g. volumetric plans, building plans and standard 2D plans)?	Yes, there are three main types of plans Standard, Building and Volumetric formats	Same
9.20. What are the usual elements shown on the plan (e.g. North Arrow, Marks table, Observation table, Administrative data, Plan face and dimensions etc.?)	North Arrow, Reference marks and Permanent marks table, Plan face with bearings and distance between numbered stations, Surveyor information, Plan number, Created and destroyed Parcel numbers, Scale, Administrative and locality information, previous title and any secondary interests etc.	Same
9.21. Are authoritative cadastral surveys carried out by government surveyors or private licensed surveyors or both?	Usual Practice: Freehold-Private surveyors Stateland-Government Surveyors	Same
9.22. What is the legal description of a cadastral boundary (e.g. coordinates or bearing and distance or lines on plan or any other)?	Bearings and distance between stations	Same
9.23. How much time does it usually take for a subdivision process to complete?	3-6 months because process includes infrastructure for each parcel	Probably quicker turnaround
9.24. What is the legal source for cadastral representation (e.g. cadastral plans, or DCDB or index plans or	Paper plans on prescribed format, size, paper quality, and plan elements	Probably digital

descriptive sketch/text etc.?)		
9.25. What is the positional accuracy of the cadastral plans (e.g. boundaries may be accurate but may not be referenced in datum properly)?	Parcel geometry accurate relatively, however they may not be located with a high degree of accuracy	Most parcels with sub-meter geo-positional accuracy
9.26. Any other survey plan issues?		

10. Dissemination of 3D Cadastral information

	Status 2018	Expectations 2022
10.1. Is there a general purpose web-based dissemination of 2D cadastral (graphical or text) information (e.g. a portal for the public or for professionals)? If yes, does it include 3D data?	In house data viewer based on SVG, external facing Globe, external facing web-services, external data download site	Same
10.2. Are specific file formats or standards used to distribute 3D Cadastral information? (e.g. LandXML, CityGML, BIM/IFC, 3D pdf,...)	No 3D data distributed digitally. However copies of paper plans (2D or 3D) are available for sale.	LandXML
10.3. Are there specific cartographic styling rules for representing 3D cadastral plans, or to represent 3D cadastral objects on 2D cadastral maps?	Yes	Yes
10.4. Are there specific cartographic styling rules for 3D cadastral maps (models; e.g. as disseminated in 3D pdf)? If yes, are there 3D specific cartographic rules developed or being developed?	Yes for paper plans as described in the Registrar of Titles Directions for the Preparation of Plans	Same
10.5. Is the 3D Cadastral information accessible in integrated manner with the 2D Cadastral information?	Yes	Yes
10.6. Are there specific symbols on the 2D cadastral map (paper, digital or web-based) indicating the presence of 3D Cadastral objects (and in web-context perhaps even linked)?	Yes	Yes
10.7. Is the legal information (RRRs and Parties) available in integrated manner in dissemination portal with the 3D Cadastral objects? (even if source of legal data may be a different organization, but then use information infrastructure approach)	Yes	Yes
10.8. Are 2D/3D cadastral data available to the general public or just to the relevant parties?	Yes	Yes
10.9. Any other 3D cadastral information dissemination issues?		

11. Statistical information

This part of the questionnaire refers to statistical information (and is most relevant for jurisdictions with parts of 3D Cadastre registration operational, but all are encouraged to complete this section, and especially the expectations for 2022).

	Status 2018	Expectations 2022
11.1. What is the smallest 2D and 3D parcel that is present/ allowed to be registered in the land administration?	0.1 m3	
11.2. What is the largest 2D and 3D parcel that is present allowed to be registered in the land administration?	Any	
11.3. What is the typical (or average) size of 2D and 3D parcels which are registered in the land administration? Subdivide by nature of 3D parcel when relevant (e.g. related to building, apartment, airspace, tunnel,...)		
11.4. How many 2D and 3D parcels do you currently have in your land administration?	Volumetric: 2794 Building: 255381 Base: 2241208	
11.5. Which year did you start registering 3D parcels in the land administration?	1998 volumetric lots 1980 building format lots	
11.6. What is the ratio of 3D parcels in rural vs. urban areas?	>90% urban (approximate, by number)	
11.7. Please specify names of cities or towns or suburbs or regions or locations where there are significant numbers of 3D parcels.	Volumetric: Brisbane - 2275 Gold Coast - 128 Ipswich – 95	
11.8. Please provide the following data: (a) Size of jurisdiction in square kilometres (b) Current number of 2D parcels (c) Current number of 3D parcels (d) Current population	a) 1,730,648km ² b) 2,241,208 c) (building format – 255,381, volumetric - 2794) d) 4.97 Million	
11.9. Approximately what are the proportions of various types of the 3D parcels (related to apartments, subsurface parking, subsurface shopping centres, bridges, tunnels, airspace, utility networks, etc)?	We do not have this information available exactly, but a best estimate is that: Most are apartments (building format lots). Amongst the volumetric lots, most are tunnel parcels, followed by overhangs into roads, division of buildings into projects (which are further subdivided into building format parcels), and mining related volumes.	
11.10. Approximately what surface area		

of the jurisdiction is affected by 3D parcels (the total area of all the footprint of all 3D parcels).		
11.11. Any other interesting statistical fact(s)?	Building format parcels tend to be more limited in size. Average sizes of volumetric lots are skewed by a small number of very large lots in areas affected by mining.	

12. Reflection

This section is only relevant in case also in 2010 and/or in 2014 the 3D cadastres questionnaire for your jurisdictions was completed (otherwise skip this section).

	Remarks
12.1. Compared to the 2010 and 2014 expectations, which 3D land administration developments did go faster than expected?	None
12.2. Same question, but now, which developments did go slower than expected?	Digital lodgement
12.3. If some (limited) form of 3D Land administration functionality has become available, what are the observed benefits? And for who?	Not yet
12.4. What are the (top-3) challenges of issues to be addressed to realize further 3D Land administration progress?	1. 3D ePlan submission, 2. Validation, 3. Storage mechanism
12.5. In case of not yet fully operational status, were there any 3D Cadastre registration pilots to take steps towards more full implementation?	NA
12.6. In case of known legal barriers, have there been made progress in creating and adopting new legislation to support 3D land administration?	No known legal barrier
12.7. Any other reflections?	

13. Other Issues

Please include any other issues that may be of interest in an international context. For example, in some foreign jurisdictions 3D parcels can only be separated by horizontal planes.

	Remarks
13.1. Country (State, Province)	Queensland, Australia
13.2. Your name, function/position and your organization	Mark Cleary Principal Policy Officer
13.3. Contact details: address email, telephone	Mark.Cleary@dnrme.qld.gov.au
13.4. Other issues	

References

ISO 19152:2012 'Geographic information - Land Administration Domain Model (LADM),
http://www.iso.org/iso/iso_catalogue/catalogue_tc/catalogue_detail.htm?csnumber=51206

Peter van Oosterom, Jantien Stoter, Hendrik Ploeger, Rod Thompson and Sudarshan Karki (2011). World-wide Inventory of the Status of 3D Cadastres in 2010 and Expectations for 2014. presented at the FIG Working Week 2011, Marrakech, 21 p.
http://www.gdmc.nl/3DCadastres/literature/3Dcad_2011_02.pdf

Sudarshan Karki (2013). 3D Cadastre Implementation Issues in Australia. MSc Thesis, University of Southern Queensland (Master of Spatial Science Research), 162 p.,
http://eprints.usq.edu.au/23560/1/Karki_2013_whole.pdf

Peter van Oosterom, Jantien Stoter, Hendrik Ploeger, Christiaan Lemmen, Rod Thompson, Sudarshan Karki (2014), Initial Analysis of the Second FIG 3D Cadastres Questionnaire: Status in 2014 and Expectations for 2018, In: Proceedings 4th International Workshop on 3D Cadastres, pp. 55-74,
http://www.gdmc.nl/publications/2014/Second_FIG_3D_Cadastres_Questionnaire.pdf