

# Questionnaire 3D-Cadastres: status September 2014 Germany



This questionnaire is an activity of the FIG working group 3D-Cadastres 2014-2018. The purpose of the survey is to make a world-wide inventory of the status of 3D-Cadastres at this moment and the plans/expectations for the near future (2018). By sharing this information, it should be possible to improve cooperation, learn from each other and support future developments. This is the second time that the questionnaire on 3D-Cadastres is conducted by the FIG working group on 3D-Cadastres. The first time was in 2010 in order to document the status in 2010 and expectations back then for 2014. The responses have been analysed (van Oosterom et al. 2011, Karki 2013). For more information on the FIG working group on 3D-Cadastres see the website [www.gdmc.nl/3DCadastres](http://www.gdmc.nl/3DCadastres). Now a few notes and suggestions, which should be helpful when completing the questionnaire:

- The conceptual model used as background for the 3D Cadastres questionnaire is the ISO 19152 standard (ISO, 2012): the Land Administration Domain Model (LADM).
- In this questionnaire the concept of 3D-Cadastres with 3D parcels (or 3D spatial units in LADM terminology) is intended in the broadest possible sense. However, what exactly is (or could be) a 3D parcel is dependent on the legal and organizational context in the specific country (state, province). 3D parcels include land and water spaces, both above and below surface.
- A more formal definition: A 3D parcel is defined as the spatial unit against which (one or more) unique and homogeneous<sup>1</sup> rights (e.g. ownership right, lease or other land use right), responsibilities or restrictions are associated to the whole entity, as included in a Land Administration system.
- As the definition above is quite abstract, it is tried in the questions to be more specific and real world situations are used. Many examples with partial/preliminary answers from 2010 are available on-line at <http://www.gdmc.nl/3DCadastres/participants/>. Inspecting some of the completed 2010 questionnaires from different other countries might help when formulation the answers for your jurisdiction.
- A 3D parcel is a 'legal object' describing a part of the space. Often there is a relationship with a real world/physical object, which can also be described in 3D. Please be aware of the difference between these two types of objects and that the focus in the context of 3D-Cadastres is on spaces of the legal objects and not the registration of the physical objects as such.
- If a certain question is not relevant or if you have no clue what to respond, do not spend any time on this (and leave the field blank).
- The questionnaire has been prepared by a mixed Australian (Rod Thompson/Sudarshan Karki)/Dutch (Jantien Stoter/Hendrik Ploeger/Christiaan Lemmen/Peter van Oosterom) team. The questionnaire is grouped in the number of blocks. This has no meaning in the sense of priority and it is often the case that a question could belong to multiple blocks. Please do not feel disturbed by this.
- Similar to the Questionnaire 3D-Cadastres, the completed forms will be made available on website of FIG working group on 3D Cadastres.
- Please complete this questionnaire before *1 October 2014* and send it to [P.J.M.vanOosterom@tudelft.nl](mailto:P.J.M.vanOosterom@tudelft.nl) (or Peter van Oosterom, TU Delft, OTB, P.O. Box 5030, 2600 GA Delft, The Netherlands).

---

<sup>1</sup> Homogenous means that the same combination of rights equally apply within the whole 3D spatial unit. Unique means that this is the largest spatial unit for which this is true. Making the unit any larger would result in the combination of rights not being homogenous. Making the unit smaller would result in at least 2 neighbour 3D parcels with the same combinations of rights.

## 1. General/applicable 3D real-world situations

This part of the questionnaire refers to the applicable 3D real-world situations to be registered by 3D parcels. It also addressed the types of 3D geometries, which are considered to be valid 3D representations for these parcels.

|                                                                                                                                                                  | Status 2014                                                                                                                                          | Expectations 2018 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| 1.1. Are all 3D parcels (3D spatial units in LADM terminology) constrained to be within one surface 2D parcel?                                                   | Yes                                                                                                                                                  |                   |
| 1.2. Are 2D and/or 3D ambulatory <sup>2</sup> boundaries permitted?                                                                                              | Yes, that is possible at rivers, but only when the movement of the boundary was caused by natural influences and not by manmade actions.             | Yes               |
| 1.3.a. Is it allowed to have 3D parcels (spatial units) not related to physical constructs or objects? (e.g. airspace, subsurface volumes)                       | If we would introduce 3D parcels we would not restrict them to constructions, since we have a lot of right and restrictions referring to subsurface. |                   |
| 1.3.b. If 1.3.a positive: approximately what proportion of new 3D parcels (spatial units) would involve such cases (not related to physical object)?             |                                                                                                                                                      |                   |
| 1.4. Are disconnected parts of a single 3D parcel allowed?                                                                                                       | There are no restrictions for excluding this.                                                                                                        |                   |
| 1.5. Spatial limitation – e.g. must the 3D parcel be related to a closed volume or is it allowed to have ‘open’ or unbounded 3D parcels (e.g. towards the sky).? | There are no restrictions for excluding this.                                                                                                        |                   |
| 1.6. Are curved surfaces to bound the 3D parcels allowed?                                                                                                        | There are no restrictions for excluding this.                                                                                                        |                   |
| 1.7. Must the curved surfaces (if allowed) be cylindrical sections, or any other constraint?                                                                     | No                                                                                                                                                   |                   |
| 1.8. Any other constraints – e.g. all surfaces must be horizontal or vertical?                                                                                   | No                                                                                                                                                   |                   |
| 1.9. Is there legislation (law and/or regulations) for 3D descriptions of parcels? If so please, mention law and article(s).                                     | No                                                                                                                                                   |                   |
| 1.10. Is the legal text available in original language?                                                                                                          |                                                                                                                                                      |                   |
| 1.11. Is the legal text (relevant part)                                                                                                                          |                                                                                                                                                      |                   |

<sup>2</sup> An ambulatory boundary is a boundary of a land parcel which follows the movements of a natural feature such as a river. Its position determined at points of time (when a survey is carried out), but between such “fixes”, the definition of the property is the position of the real world natural feature.

|                                                                                                                                                                                                                                  |                                                                                                  |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--|
| available in English translation?                                                                                                                                                                                                |                                                                                                  |  |
| 1.12. Do you have example descriptions of typical 3D parcels; either 'prototype' or 'operational'?                                                                                                                               | No                                                                                               |  |
| 1.13. Is there a formal model for the 3D parcels (UML style); e.g. based on ISO TC211 series (especially LADM, ISO 19152)?                                                                                                       | No, only 2D, but it is based on ISO TC211. 3D information only applies to buildings, not parcels |  |
| 1.14. Are natural resources (groundwater, mining rights) shown in your land administration? If yes, are they considered as 3D parcels (spatial units) with RRRs attached?                                                        | No                                                                                               |  |
| 1.15. Are legally restricted spaces, above or below, such as polluted areas considered as 3D parcels?                                                                                                                            | No                                                                                               |  |
| 1.16. Are spatial plans considered as 3D parcels (as rights or restrictions are related to them)? Sometimes also called spatial development plans, zoning plans or physical plans (land use, urban, regional, environmental,...) | No                                                                                               |  |
| 1.17. Any other geometric issues related to 3D parcels?                                                                                                                                                                          | No                                                                                               |  |

## 2. Infrastructure/utility networks

This refers to the situation where an infrastructure network is considered to be defined within the land administration. For example in some jurisdictions, an underground network might be privately constructed for the purpose of leasing space in it for other organisations to run cabling. In this case, a network, or part of that network may be considered to be a real estate object.

|                                                                                                                                                                                                                                                                                                                                  | Status 2014                            | Expectations 2018 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|-------------------|
| 2.1. Do you register networks as an entity in the land administration? (e.g. subterranean conduit networks)                                                                                                                                                                                                                      | No                                     |                   |
| 2.2. If so, then<br>(a) can the network structure be viewed graphically in the land administration?<br>(b) can the network structure be traced in the database(s)?<br>(c) are networks registered by means of a cadastral identifier (such as a 'parcel number')?<br>(d) are RRRs and parties attached to these network objects? |                                        |                   |
| 2.3. Does the jurisdiction have private networks? If so please, mention law and article(s).                                                                                                                                                                                                                                      | Yes                                    |                   |
| 2.4. If so, are they registered as 3D property parcels (spatial units)?                                                                                                                                                                                                                                                          | No                                     |                   |
| 2.5. Is the text of relevant laws or regulations (question 2.3) available in original language? If so, give references to relevant document(s).                                                                                                                                                                                  | Yes<br>Energiewirtschaftsgesetz (EnWG) |                   |
| 2.6. Is the text of laws and regulations (relevant part) available in English translation?                                                                                                                                                                                                                                       | No                                     |                   |
| 2.7. Do you have example descriptions of typical 3D parcels (spatial units) for networks; either 'prototype' or 'operational'?                                                                                                                                                                                                   | No                                     |                   |
| 2.8. If the network (legal) objects break at the surface parcel, how do you deal with intersecting networks or vertically parallel networks?                                                                                                                                                                                     |                                        |                   |
| 2.9. Any other geometric issues related to the registration of networks?                                                                                                                                                                                                                                                         |                                        |                   |

### 3. Construction/building units

This refers to 3D properties that are related to constructions and apartment (condominium) buildings. The individual units are often defined by the actual walls and structure of a building, rather than by metes and bounds. E.g. “unit 5 on level 6 of ... building”.

|                                                                                                                                                                                                              | Status 2014                                                                                                                                                                                                                                                                                                                                                      | Expectations 2018 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| 3.1. Do you register 3D construction/building units?                                                                                                                                                         | Yes                                                                                                                                                                                                                                                                                                                                                              |                   |
| 3.2. If so, what are the most important types? E.g. apartment units, or also other buildings or even more general constructions (infra related; such as bridge, tunnel or even other, such as windmills,...) | Apartment units                                                                                                                                                                                                                                                                                                                                                  |                   |
| 3.3. Does the jurisdiction have construction/building units? If so please, mention law and article(s).                                                                                                       | Regulation for land registries (“Grundbuchordnung” and regulation for establishing and maintaining the cadastre (“Vermessungs- und Katastergesetz”, Gebäudeübernahmeverordnung GÜVO).                                                                                                                                                                            |                   |
| 3.4. Is the legal text available in original language?                                                                                                                                                       | Yes                                                                                                                                                                                                                                                                                                                                                              |                   |
| 3.5. Is the legal text (relevant part) available in English translation?                                                                                                                                     | No                                                                                                                                                                                                                                                                                                                                                               |                   |
| 3.6. Do you have example descriptions of typical 3D parcels; either ‘prototype’ or ‘operational’?                                                                                                            | Yes,<br>See following Weblink:<br><a href="http://vermessung.bayern.de/geobasis_lv/3DGebaeude.html">http://vermessung.bayern.de/geobasis_lv/3DGebaeude.html</a>                                                                                                                                                                                                  |                   |
| 3.7. What would be typical 3D boundaries in an apartment complex: middle of the wall and floor/ceiling, or walls, floors/ceiling as neutral/shared 3D space? Is it mentioned in any legislation or is        | The unit is defined to: <ul style="list-style-type: none"> <li>- Ground plan corresponds to the intersection of the walls with the ground surface.</li> <li>- All the walls are perpendicular to the floor plan.</li> <li>- Cantilevered floors can protrude from the plan.</li> <li>- Underground floors are not covered</li> </ul> Ground plan defined by law. |                   |

|                                                                                                                                                |                                                                                                                      |  |
|------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|--|
| it the convention?                                                                                                                             |                                                                                                                      |  |
| 3.8. Is common property inside the building registered? If so, how?                                                                            | Yes                                                                                                                  |  |
| 3.9. Who owns the common property inside the building?                                                                                         | Each party with specific shares.                                                                                     |  |
| 3.10. Who owns the land on which the apartment is built?                                                                                       | Each party with specific shares.                                                                                     |  |
| 3.11. Do you allow sub-division of apartments or apartment blocks?                                                                             | Yes                                                                                                                  |  |
| 3.12. Can the land on which the building is built be sub-divided or sold or mortgaged without the consent of majority of the apartment owners? | No, Each apartment owner has part ownership of the land, regulated in a separate law (WohnungsEigentumsGesetz, WEG). |  |
| 3.13. What is the numbering convention for apartments (please specify in terms of cadastral parcel as well as street addressing)               | The building has one address and one specific number. The apartments are numbered in a separate allocation plan.     |  |
| 3.14. Any other geometric issues?                                                                                                              |                                                                                                                      |  |

#### 4. X/Y Coordinates

|                                                                                                                            | Status 2014                               | Expectations 2018                         |
|----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|-------------------------------------------|
| 4.1. Do the plans of survey guarantee X/Y coordinates? (and are they relative or in an absolute spatial reference system?) | Yes (relative CRS)                        | Yes (absolute CRS)                        |
| 4.2. Are the cadastral database coordinates authoritative?                                                                 | Yes                                       | Yes                                       |
| 4.3. If not, what is the authoritative source of X/Y coordinates?                                                          |                                           |                                           |
| 4.4. Do you have parcels defined by the walls of a building (with no recorded geometry)?                                   | Yes, but usually the geometry is recorded | Yes, but usually the geometry is recorded |
| 4.5. What is the spatial reference system for X/Y Coordinates?                                                             | Bessel ellipsoid, Gauß-Krüger projection  | ETRS89, UTM projection                    |
| 4.6. Any other X/Y coordinate issues?                                                                                      |                                           |                                           |

## **5. Z Coordinates/height representation**

|                                                                                                                                  | Status 2014     | Expectations 2018 |
|----------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------|
| 5.1. Are the Z coordinates of 3D parcels relative to local ground?                                                               | No restrictions |                   |
| 5.2. Are Z coordinates reduced to a standard datum (absolute)? If so, what is the spatial reference system for the Z coordinate? | No              | No                |
| 5.3. In principle possible to store both relative and absolute Z coordinate?                                                     | Yes             | Yes               |
| 5.4. Is the earth surface (height) explicitly stored (in the DCDB or other accessible register)?                                 |                 |                   |
| 5.5. What is the source of elevation for the 2D surface parcel?                                                                  |                 |                   |
| 5.6. Any other Z coordinate issues?                                                                                              |                 |                   |

## 6. Temporal Issues

|                                                                                                                                                             | Status 2014                                                                             | Expectations 2018 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|-------------------|
| 6.1. Are temporal limits part of the definition of a parcel (2D or 3D)?                                                                                     | No                                                                                      |                   |
| 6.2. Are moving parcels allowed?                                                                                                                            | No                                                                                      |                   |
| 6.3. Are there any limitations on the range of temporal limits?<br>(e.g. only on 3D apartments).                                                            | No                                                                                      |                   |
| 6.4. Are there any attempt to integrate 3D space and temporal representations, into a single 4D space/time representation?                                  | No<br>Only a versioning concept to document changes to 2D-Parcels (history of a parcel) |                   |
| 6.5. In the case of tidal boundaries, what happens to the 3D ambulatory parcel if the 2D land parcel changes extent due to the movement of High Water Mark? |                                                                                         |                   |
| 6.6. Any other temporal issues?                                                                                                                             |                                                                                         |                   |

## 7. Rights, Restrictions and Responsibilities

|                                                                                                                                                                                                               | Status 2014   | Expectations 2018 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-------------------|
| 7.1. Range of RRR on 3D parcels.                                                                                                                                                                              | No regulation |                   |
| 7.2. Are there any limitations on the range of rights related to 3D spatial units? (e.g. subterranean parcels must be owned by Govt).                                                                         | No            |                   |
| 7.3. Are there any limitations on the range of restrictions or responsibilities related to 3D spatial units? (i.e. currently in use and related to 2D spatial units, but that would not be applicable to 3D). | No            |                   |
| 7.4. Are there RRRs that are only allowed in 3D (and not valid for 2D)                                                                                                                                        | No            |                   |
| 7.5. Is there specific legislation (laws, regulations) defining 3D RRR types? If so, provide details, e.g. references to documents/ articles.                                                                 | No            |                   |
| 7.6. Can 3D sub-surface/above-surface parcel be owned by someone other than the person owning the land parcel?                                                                                                |               |                   |
| 7.7. What applications do you foresee for 3D land administration?                                                                                                                                             |               |                   |
| 7.8. Are the administrative source documents (source of RRRs) title or deed based?                                                                                                                            |               |                   |
| 7.9 Who is responsible for the correctness of the specified 3D boundaries in spatial source documents (which authority)?                                                                                      |               |                   |
| 7.10. Is registration of 3D parcels done inside the cadastral mapping agency, the land registry or elsewhere?                                                                                                 |               |                   |
| 7.11. Are 3D registrations handled by the same organisation that handles traditional (2D) land administration?                                                                                                |               |                   |
| 7.12. Do you supply paper-based titles or deeds or proof of ownership? If yes, does this contain depictions of the 2D or 3D parcel?                                                                           |               |                   |
| 7.13. Any other RRR issues?                                                                                                                                                                                   |               |                   |

## 8. DCDB (The Cadastral Database)

|                                                                                                                                                                                 | Status 2014                                                                                                                                                                                                                                                                                                                           | Expectations 2018 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| 8.0. Is database schema LADM based?                                                                                                                                             | No                                                                                                                                                                                                                                                                                                                                    | No                |
| 8.1. Does the DCDB contain representation of 3D parcels (in any form)?                                                                                                          | No                                                                                                                                                                                                                                                                                                                                    |                   |
| 8.2. If so, how are they represented (in the DCDB)?                                                                                                                             |                                                                                                                                                                                                                                                                                                                                       |                   |
| 8.3. If so, how are they presented on cadastral “maps” (including screen presentations)?                                                                                        |                                                                                                                                                                                                                                                                                                                                       |                   |
| 8.4. Are there possibilities to store geometry of 3D parcels in the DCDB?                                                                                                       | No                                                                                                                                                                                                                                                                                                                                    |                   |
| 8.5. Is it possible to manage a 3D topological structure in the DCDB?                                                                                                           | No                                                                                                                                                                                                                                                                                                                                    |                   |
| 8.6. Are constraints/rules defined for valid 3D objects (closed volume, no overlap, no gap in 3D)? What about rules for a mix of 2D and 3D representations?                     | Since we included 3D feature types based on ISO 19107 the same constraints have to be considered                                                                                                                                                                                                                                      |                   |
| 8.7. How can internal and external user query and visualize the 3D content supporting rotating, slicing, transparency, perspective (3D web/view service, 3D pdf documents,...)? | Not possible                                                                                                                                                                                                                                                                                                                          |                   |
| 8.8. What Spatial DBMS software do you use? Any 3D capabilities included and used?                                                                                              | PostgreSQL and Oracle for 2D. No 3D extension at the moment, but it is in the data model                                                                                                                                                                                                                                              |                   |
| 8.9. Do you have any validation rules for 3D representation in the database?                                                                                                    | No                                                                                                                                                                                                                                                                                                                                    |                   |
| 8.10. What (GIS/CAD) software is used for updating, editing, analysis, and visualization of the cadastral data? Any 3D capabilities included and used?                          | Software for 2D/2.5D, that was developed by own Cadastral Department based on Open Source (2.5D mean, there are objects provided with height-relevant attributes (for example roof type, relative height to the ground), only for buildings, constructions);<br>3D-Software for buildings BuildingReconstruction (virtualcitySYSTEMS) |                   |
| 8.11. What web software is used for remote data access/distribution and visualization? Any 3D capabilities                                                                      | Software that was developed by own Cadastral Department based on Open                                                                                                                                                                                                                                                                 |                   |

|                                                                                                         |                                       |  |
|---------------------------------------------------------------------------------------------------------|---------------------------------------|--|
| included and used?                                                                                      | Source. 3D-Visualization of buildings |  |
| 8.12. Is your DCDB organised as Multi-Layers or Object Oriented or some other data model?               | Object-relational database            |  |
| 8.13. How do you query 3D objects in your DCDB?                                                         |                                       |  |
| 8.14. Is it possible to query neighbourhood parcels to a 3D object, vertically as well as horizontally? |                                       |  |
| 8.15. Any other DCDB issues?                                                                            |                                       |  |

## 9. Plans of Survey (including field sketches)

|                                                                                                                                                                                                        | Status 2014                                                                                                                                        | Expectations 2018 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| 9.1. Do the survey plans carry 3D parcel representations?                                                                                                                                              | Yes, since 2012 for buildings:<br>- Number of Floors<br>- Relative heights of eaves and ridge lines.<br>- Course of the ridge lines<br>- roof type |                   |
| 9.2. If so, how are they represented?                                                                                                                                                                  | geometric objects and attributes                                                                                                                   |                   |
| 9.3. Is there specific legislation (regulations) describing the requirements for Plans of Survey in 3D? If so, please give link to the relevant documents.                                             | No                                                                                                                                                 |                   |
| 9.4. Is sketch level allowed (low geometric quality, but in principle enough to indicate the 3D object)?                                                                                               | Yes                                                                                                                                                |                   |
| 9.5. Is it possible to define a 3D parcel by referring to other 3D real world objects/ topography (and not specifying coordinates)?                                                                    | No                                                                                                                                                 |                   |
| 9.6. In what format are the 3D parcels submitted for registration; attached to legal document in a single pdf (which has good 3D capabilities) or in an extension of (city)GML for 3D parcels, or....? | CityGML<br>AAA-Model (XML/GML)                                                                                                                     |                   |
| 9.7. Are the 3D parcels somehow checked for spatial validity; e.g. volume is closed, does not overlap with neighbour volume (and also no unwanted 3D gaps)?                                            | No, with the exception of the discharge software                                                                                                   |                   |
| 9.8. Do you have examples of (prototype or production) 3D survey plans available?                                                                                                                      | Yes,<br>MiA-GÜVO Appendix 1                                                                                                                        |                   |
| 9.9. Are any reference objects visible on the survey plan (e.g. real buildings, roads, that is 3D topography)?                                                                                         | No                                                                                                                                                 |                   |
| 9.10. What form of 3D data acquisition is used (CAD, terrestrial surveying, sketches, stereo/oblique images, laser scanning,...)?                                                                      | - Terrestrial surveying<br>- laser scanning                                                                                                        |                   |
| 9.11. What software do you use for creating and processing survey plans? Any 3D capabilities included and used?                                                                                        | - own development<br>- BuildingReconstruction (virtualcitySYSTEMS)                                                                                 |                   |
| 9.12. Can 3D parcels be subdivided,                                                                                                                                                                    | Yes                                                                                                                                                |                   |

|                                                                                                                          |                            |                              |
|--------------------------------------------------------------------------------------------------------------------------|----------------------------|------------------------------|
| consolidated or nullified?                                                                                               |                            |                              |
| 9.13. Is there any existing technical circular or directive to assist Surveyors in 3D data collection in the field?      | Yes                        |                              |
| 9.14. Are the surveyors required to undertake a field survey for 3D cadastral data?                                      | Yes                        |                              |
| 9.15. Are building construction plans used to compile 3D cadastral information for apartments?                           | No                         |                              |
| 9.16. Is 2D/3D field survey done by private licensed surveyors or by government surveyors?                               | Both                       |                              |
| 9.17. Are plans of survey created for each new 2D/3D parcel or are they updated in an index map or a cadastral database. | By update building changes |                              |
| 9.18. Do you show dimensions or isometric views of 3D parcels on survey plans (do you also store this in a database)     | No                         | 3D PDF as a separate product |
| 9.19. Any other survey plan issues?                                                                                      |                            |                              |

## 10. Dissemination of 3D Cadastral information

|                                                                                                                                                                                                                 | Status 2014                                                                                                                                                                                                                                                                                                                      | Expectations 2018 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| 10.1. Is there a general purpose web-based dissemination of 2D cadastral (graphical or text) information (e.g. a portal for the public or for professionals)? If yes, does it include 3D data?                  | Public:<br><a href="http://geoportal.bayern.de/bayernatlas/">http://geoportal.bayern.de/bayernatlas/</a><br>Webshop for professionals:<br><a href="https://geoportal.bayern.de/geodatenonline/">https://geoportal.bayern.de/geodatenonline/</a><br><br>Web: buildings in LoD1 as perspective view<br><br>No download for 3D data |                   |
| 10.2. Are specific file formats or standards used to distribute 3D Cadastral information? (e.g. LandXML, CityGML, BIM/IFC, 3D pdf,...)                                                                          | CityGML,<br>3D-Shape,<br>KML,<br>DXF,<br>On demand: VRML, 3DS, 3D-PDF                                                                                                                                                                                                                                                            |                   |
| 10.3. Are there specific cartographic styling rules for representing 3D cadastral plans, or to represent 3D cadastral objects on 2D cadastral maps?                                                             | Yes                                                                                                                                                                                                                                                                                                                              |                   |
| 10.4. Are there specific cartographic styling rules for 3D cadastral maps (models; e.g. as disseminated in 3D pdf)? If yes, are there 3D specific cartographic rules developed or being developed?              | No                                                                                                                                                                                                                                                                                                                               |                   |
| 10.5. Is the 3D Cadastral information accessible in integrated manner with the 2D Cadastral information?                                                                                                        | Yes                                                                                                                                                                                                                                                                                                                              |                   |
| 10.6. Are there specific symbols on the 2D cadastral map (paper, digital or web-based) indicating the presence of 3D Cadastral objects (and in web-context perhaps even linked)?                                | Yes,<br>number of floors                                                                                                                                                                                                                                                                                                         | ridgelines        |
| 10.7. Is the legal information (RRRs and Parties) available in integrated manner in dissemination portal with the 3D Cadastral objects? (even if source of legal data may be a different organization, but then | Yes,<br>same as 2D                                                                                                                                                                                                                                                                                                               |                   |

|                                                                                                 |      |  |
|-------------------------------------------------------------------------------------------------|------|--|
| use information infrastructure approach)                                                        |      |  |
| 10.8. Are 2D/3D cadastral data available to the general public or just to the relevant parties? | Both |  |
| 10.9. Any other 3D cadastral information dissemination issues?                                  |      |  |

## 11. Statistical information

This part of the questionnaire refers to statistical information (and is most relevant for jurisdictions with parts of 3D Cadastre registration operational, but all are encouraged to complete this section, and especially the expectations for 2018).

|                                                                                                                                                                                                                              | Status 2014                                                                                                                                                        | Expectations 2018                        |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|
| 11.1. What is the smallest 2D and 3D parcel that is present/ allowed to be registered in the land administration?                                                                                                            | Parcels: 0,1 m <sup>2</sup><br><br>Buildings:<br>(2D and 3D same)<br>closed building: 13 m <sup>2</sup><br>open building: 35 m <sup>2</sup><br>possible exceptions |                                          |
| 11.2. What is the largest 2D and 3D parcel that is present allowed to be registered in the land administration?                                                                                                              | Unknown                                                                                                                                                            |                                          |
| 11.3. What is the typical (or average) size of 2D and 3D parcels which are registered in the land administration? Subdivide by nature of 3D parcel when relevant (e.g. related to building, apartment, airspace, tunnel,...) | 2D: unknown                                                                                                                                                        |                                          |
| 11.4. How many 2D and 3D parcels do you currently have in your land administration?                                                                                                                                          | 2D-parcels: ca. 10 400 000<br>3D-parcels: 0<br><br>3D-Buildings: 2 500 000                                                                                         | 3D-Buildings: 8 500 000                  |
| 11.5. Which year did you start registering 3D parcels in the land administration?                                                                                                                                            | 3D: No parcels, only buildings                                                                                                                                     |                                          |
| 11.6. What is the ratio of 3D parcels in rural vs. urban areas?                                                                                                                                                              | 3D: No parcels, only buildings                                                                                                                                     |                                          |
| 11.7. Please specify names of cities or towns or suburbs or regions or locations where there are significant numbers of 3D parcels.                                                                                          | 3D: No parcels, only buildings                                                                                                                                     |                                          |
| 11.8. Please provide the following data:<br>(a) Size of jurisdiction in square kilometres<br>(b) Current number of 2D parcels<br>(c) Current number of 3D parcels<br>(d) Current population                                  | (a) 70.551,57 km <sup>2</sup><br>(b) 10 400 000<br>(c) 0<br>(d) 12 604 000                                                                                         |                                          |
| 11.9. Approximately what are the proportions of various types of the 3D parcels (related to apartments, subsurface parking, subsurface shopping centres, bridges, tunnels, airspace, utility networks, etc)?                 | unknown                                                                                                                                                            | Building function for analysis available |
| 11.10. Approximately what surface area of the jurisdiction is affected by 3D parcels (the total area of all the                                                                                                              | Buildings: 25 %                                                                                                                                                    | Buildings: 100%                          |

|                                                   |                                                                                                                                   |  |
|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|--|
| footprint of all 3D parcels).                     |                                                                                                                                   |  |
| 11.11. Any other interesting statistical fact(s)? | Calculation of 3D parcels is possible by combining the digital terrain model (mesh width 1 m) and the 2D parcels (coverage 100%). |  |

## **12. Reflection**

This section is only relevant in case also in 2010 the 3D cadastres questionnaire for your jurisdictions was completed (otherwise skip this section).

|                                                                                                                                         | Remarks |
|-----------------------------------------------------------------------------------------------------------------------------------------|---------|
| 12.1. Compared to the 2010 expectations, which 3D land administration developments did go faster than expected?                         |         |
| 12.2. Same question, but now, which developments did go slower than expected?                                                           |         |
| 12.3. If some (limited) form of 3D Land administration functionality has become available, what are the observed benefits? And for who? |         |
| 12.4. What are the (top-3) challenges of issues to be addressed to realize further 3D Land administration progress?                     |         |
| 12.5. Any other reflections?                                                                                                            |         |

### **13. Other Issues**

Please include any other issues that may be of interest in an international context. For example, in some foreign jurisdictions 3D parcels can only be separated by horizontal planes.

|                                                                | Remarks                                                                                                                                                                                                                                                                                     |
|----------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 13.1. Country (State, Province)                                | Germany (Bavaria)                                                                                                                                                                                                                                                                           |
| 13.2. Your name,<br>function/position and<br>your organization | Dr. Markus Seifert<br><br>Head of<br>Secretariat for Spatial Data Infrastructure in Bavaria                                                                                                                                                                                                 |
| 13.3. Contact details:<br>address<br>email,<br>telephone       | Secretariat for Spatial Data Infrastructure in Bavaria<br>located at the<br>Bavarian Agency for Digitisation, High-Speed Internet and<br>Surveying<br>Alexandrastraße 4, 80538 Munich<br><a href="mailto:markus.seifert@ldbv.bayern.de">markus.seifert@ldbv.bayern.de</a><br>+49892129-1002 |
| 13.4. Other issues                                             |                                                                                                                                                                                                                                                                                             |

### **References**

ISO 19152:2012 'Geographic information - Land Administration Domain Model (LADM),  
[http://www.iso.org/iso/iso\\_catalogue/catalogue\\_tc/catalogue\\_detail.htm?csnumber=51206](http://www.iso.org/iso/iso_catalogue/catalogue_tc/catalogue_detail.htm?csnumber=51206)

Peter van Oosterom, Jantien Stoter, Hendrik Ploeger, Rod Thompson and Sudarshan Karki (2011).  
World-wide Inventory of the Status of 3D Cadastres in 2010 and Expectations for 2014. presented at  
the FIG Working Week 2011, Marrakech, 21 p.  
[http://www.gdmc.nl/3DCadastres/literature/3Dcad\\_2011\\_02.pdf](http://www.gdmc.nl/3DCadastres/literature/3Dcad_2011_02.pdf)

Sudarshan Karki (2013). 3D Cadastre Implementation Issues in Australia. MSc Thesis, University of  
Southern Queensland (Master of Spatial Science Research), 162 p.,  
[http://eprints.usq.edu.au/23560/1/Karki\\_2013\\_whole.pdf](http://eprints.usq.edu.au/23560/1/Karki_2013_whole.pdf)